ALPHA VAC

阿尔法真空

Tube Lifters

For hand loading and unloading, the tube lifter turns one operator into a whole day of effortless lifts. The lifting gripster grips the load while the balancer tube carries the weight.

12 order codes · 1 families

Tube Lifters

HOIST

Ergonomic vacuum tube lifter, one operator, whole-day lifting

HOIST HST

ERGONOMIC VACUUM TUBE LIFTER, ONE OPERATOR, WHOLE-DAY LIFTING

An ergonomic tube lifter. The lifting gripster grips the load while the tube carries the weight, turning one operator into a full shift of easy lifts.

APPLICATIONS

cartons, sheet material, sacks, drums and pails

12 to 270	100 to 160	2.0
CAPACITY, KG	TUBE BORE, MM	HOSE LENGTH, M

Range and specifications (12 order codes)

Order code	Tube bore	Duty class	Capacity	Hose
AV-HST-T100-L	100 mm / 3.937 in	Light	12 kg / 26.5 lb	2.0 m / 6.6 ft
AV-HST-T100-S	100 mm / 3.937 in	Standard	20 kg / 44.1 lb	2.0 m / 6.6 ft
AV-HST-T100-H	100 mm / 3.937 in	Heavy	30 kg / 66.1 lb	2.0 m / 6.6 ft
AV-HST-T120-L	120 mm / 4.724 in	Light	27 kg / 59.5 lb	2.0 m / 6.6 ft
AV-HST-T120-S	120 mm / 4.724 in	Standard	45 kg / 99.2 lb	2.0 m / 6.6 ft
AV-HST-T120-H	120 mm / 4.724 in	Heavy	68 kg / 149.9 lb	2.0 m / 6.6 ft
AV-HST-T140-L	140 mm / 5.512 in	Light	54 kg / 119.0 lb	2.0 m / 6.6 ft
AV-HST-T140-S	140 mm / 5.512 in	Standard	90 kg / 198.4 lb	2.0 m / 6.6 ft
AV-HST-T140-H	140 mm / 5.512 in	Heavy	135 kg / 297.6 lb	2.0 m / 6.6 ft
AV-HST-T160-L	160 mm / 6.299 in	Light	108 kg / 238.1 lb	2.0 m / 6.6 ft
AV-HST-T160-S	160 mm / 6.299 in	Standard	180 kg / 396.8 lb	2.0 m / 6.6 ft
AV-HST-T160-H	160 mm / 6.299 in	Heavy	270 kg / 595.2 lb	2.0 m / 6.6 ft